Manli GeForce® RTX 2080 with Blower Fan

21 September, 2018 – Manli Technology Group Limited, the major Graphics Cards and other components manufacturer, today announced the brand new RTX 20 Series graphics solution –

Manli GeForce® RTX 2080 with Blower Fan.

Powered by the latest NVIDIA Turing™ GPU architecture and the revolutionary RTX platform, Manli GeForce® RTX 2080 provides top tier gaming performance for gaming enthusiast. It is built-in 2944 CUDA Cores, with core frequency is at 1515MHz, which can boost up to 1710MHz. The latest addition to the ultimate gaming platform, next generation 14 Gbps GDDR6 memory. It delivers the fastest, smoothest, and most power-efficient gaming experiences. Moreover, up to 30% faster than previous generation graphics cards.

Stylish Cooling Design

The curves of cooler cover design come from the symbol of "Thai Chi", to couple strength (performance) and gentleness (silence). Furthermore, the upgraded dual ball bearing and vapor chamber cooling technology to strength cooling efficiency.

Stunning Packaging Design

The main image of packaging is water and fire which express the forces of nature, and the concept of "Tai Chi", the contrary forces are interconnected and interdependent in the universe.

Specifications

Product Name	Manli GeForce® RTX 2080 Heatsink with Blower Fan
Model Name	M-NRTX2080/6RGHPPPC-F393G
Chipset Name	GeForce® RTX 2080
CUDA Cores	2944
Memory Configuration	8GB GDDR6
Memory Interface	256-bit
Base Clock / Boost Clock	1515 / 1710MHz
Memory Speed	14Gbps
Cooling Design	Heatsink with Blower Fan
Display Output	3 x DisplayPort, HDMI, USB Type-C™
Power Connectors	1 x 6-pin & 1 x 8-pin
Box Dimension	352 x 170 x 110mm

Main Features

> Real-Time Ray Tracing

> NVIDIA® GeForce Experience

> NVIDIA Ansel

> NVIDIA® Highlights

> NVIDIA G-SYNC^{TM} Compatible

> Game Ready Drivers

> Microsoft$^®$ DirectX$^®$ 12 API, Vulkan API, OpenGL 4/5

> DisplayPort 1.4, HDMI 2.0b

> HDCP 2.2

> NVIDIA$^®$ GPU Boost^{TM}

> NVIDIA NVLink (SLI-Ready)

> VR Ready

> Designed for USB Type-C^{TM} and VirtualLink^{TM}

System Requirements

> PCI Express-compliant motherboard with one dual-width x16 graphics slot

> One 8-pin and one 6-pin supplementary power connector

> Minimum 650W or greater system power supply

> 1.5GB of available hard-disk space

> 8GB system memory (16GB or higher recommended)

> Microsoft$^®$ Windows$^®$ 10 64-bit (April 2018 Update or Later), Windows$^®$ 7 64-bit, Linux 64-bit

> DVD-ROM drive or Internet connection

* The above information shows the general technical specifications of the product and does not represent actual configuration. For specific configurations and their availability, please check with your local distributors.

--- End---

萬利達科技集團有限公司 Manli Technology Group Limited

10350 台北市大同區南京西路278號12樓
12F, No.278, Nanjing W. Rd., Datong District, Taipei City 10350, Taiwan R.O.C.
Tel : +886-2-2555-8881   Fax : +886-2-2555-5829   Website : www.manli.com

About Manli Technology Group Limited

Established in 1996, Manli Technology has been one of major manufacturer and exporter of Graphics Cards, Mining Systems, Mining Cards and other components. Headquartered in Hong Kong, Manli's branches and facilities continue to expand into China, Korea, Western Europe, and Middle East.

For more information, please visit http://www.manli.com

Media Contacts

Erin Wang

Manli Technology Group Limited

Tel: (886) 2 – 2555 8881 # 61

Fax: (886) 2 – 2555 5829

Email: marketing@manli.com.hk

萬利達科技集團有限公司 Manli Technology Group Limited

10350 台北市大同區南京西路278號12樓
12F, No.278, Nanjing W. Rd., Datong District, Taipei City 10350, Taiwan R.O.C.
Tel : +886-2-2555-8881   Fax : +886-2-2555-5829   Website : www.manli.com